

Table of Contents

ISPConfig

AWS Ports

RSpamD fix signal 11

PolyChaCha Cipher

ARM Graviton Install

Clamav OOM

Nexcloud inside ISPConfig with NGINX

Postfix on Amazon EC2

online Resize FS

Logo

Recalculate mail quota

1

1

1

1

2

2

5

6

6

6

ISPConfig

```
aws ec2 run-instances \  
  --instance-type t4g.small \  
  --image-id ami-0e15cd9cd8e225753 \  
  --security-groups MySecurityGroup \  
  --key-name My-key-pair \  
  --credit-specification "CpuCredits=standard"
```

AWS Ports

TCP

```
21,22,25,53,80,110,143,443,465,587,993,995,4190,8080,8081,40110:40210
```

UDP

```
53
```

RSpamD fix signal 11

```
touch /etc/rspamd/local.d/history_redis.conf
```

```
servers = localhost:6379;  
nrows = 450;  
key_prefix = "rs_history";  
compress = true;
```

PolyChaCha Cipher

```
/usr/local/ispconfig/server/conf-custom/nginx_vhost.conf.master
```

```
ssl_ciphers !aNULL:ECDSA-CHACHA20-POLY1305:ECDSA-AES128-GCM-SHA256:ECDSA-RSA-CHACHA20-POLY1305:ECDSA-RSA-AES128-GCM-SHA256;
```

ARM Graviton Install

Enable swap

```
sudo /bin/dd if=/dev/zero of=/swap.1 bs=1M count=1024  
sudo chmod 600 /swap.1  
sudo /sbin/mkswap /swap.1  
sudo /sbin/swap on /swap.1
```

/etc/fstab

```
/swap.1 swap swap defaults 0 0
```

```
su sudo  
echo "172.0.1.1 hostname.domainname hostname" >>/etc/hosts  
echo "hostname" >/etc/hostname  
sudo apt update && sudo apt upgrade
```

```
sudo apt install linux-modules-extra-aws -y
```

and reboot!

[install.sh](#)

```
#!/bin/bash
# make sure locales are set
sudo sed -i '/^#.* en_US.UTF-8* /s/^#// ' /etc/locale.gen
sudo locale-gen
sudo apt update -y
sudo apt install php-fpm ssl-cert curl gnupg software-properties-common rsync pigz php-
net-idna2 php7.4-bcmath php8.1-bcmath php7.4-gmp php8.1-gmp -y

mkdir /tmp/ispconfig
cd /tmp/ispconfig
sudo wget -O /tmp/ispconfig/ispconfig.tar.gz
https://www.ispconfig.org/downloads/ispconfig-ai.tar.gz
sudo tar xvfz /tmp/ispconfig/ispconfig.tar.gz -C /tmp/ispconfig

sed -i.bak -e '24d' /tmp/ispconfig/lib/os/class.ISPConfigUbuntu20040S.inc.php #no
repositories
sed -i.bak -e '141d' /tmp/ispconfig/lib/os/class.ISPConfigDebian0S.inc.php #no rar
package on ARM
php "ispconfig.ai.php" --use-nginx --use-php=7.4,8.1 --use-ftp-ports=40110-40210 --
lang=en --no-ntp
--no-mailman
systemctl stop clamav-daemon
systemctl disable clamav-daemon
systemctl stop clamav-freshclam
systemctl disable clamav-freshclam
sudo rm /etc/rspamd/local.d/antivirus.conf

sudo sed -i 's/^(After\s*=\s*\).*$/\lnetwork-online.target/'
/usr/lib/systemd/system/nginx.service

sudo chown root:ispapps /etc/roundcube/debian-db.php
sudo chmod 640 /etc/roundcube/debian-db.php
sudo chown root:ispapps /etc/roundcube/config.inc.php
sudo chmod 640 /etc/roundcube/config.inc.php
sudo chown -R ispapps:adm /var/log/roundcube
sudo chmod -R 750 /var/log/roundcube
sudo chown -R ispapps:ispapps /var/lib/roundcube/temp
sudo chmod -R 750 /var/lib/roundcube/temp
```

Replace SH with BASH (select NO)

```
dpkg-reconfigure dash
```

Clamav OOM

```
ReadTimeout 10
MaxThreads 3
ConcurrentDatabaseReload no
```

Nexcloud inside ISPConfig with NGINX

php.ini

```
opcache.enable=1
opcache.enable_cli=1
opcache.memory_consumption=128
opcache.max_accelerated_files=10000
opcache.revalidate_freq=120
opcache.validate_timestamps = 0
opcache.save_comments=1
memory_limit = 512M
post_max_size = 300M
upload_max_filesize = 200M
clear_env = no
```

in config.php

```
'htaccess.RewriteBase' => '/',
'htaccess.IgnoreFrontController' => true,
```

nginx upload

copy /usr/local/ispconfig/server/conf/nginx_vhost.conf.master to conf-custom and change

```
-location ~ /\. { deny all
+location ~ /\.(!file).* { deny all
```

```
add_header Strict-Transport-Security "max-age=15768000; includeSubDomains; preload;";
add_header X-Content-Type-Options nosniff;
add_header Referrer-Policy "no-referrer";
add_header X-Frame-Options "SAMEORIGIN";
add_header X-XSS-Protection "1; mode=block";
add_header X-Robots-Tag "noindex, nofollow";
add_header X-Download-Options noopen;
add_header X-Permitted-Cross-Domain-Policies none;
```

```
location = /robots.txt {
    allow all;
    log_not_found off;
    access_log off;
}
```

```
location ~ \.php$ {
    try_files /b615814d8f2c19dbcb25b1fbae07ce38.htm @php2;
}
```

```
location ^~ /.well-known {
    location = /.well-known/carddav { return 301 /remote.php/dav/; }
    location = /.well-known/caldav { return 301 /remote.php/dav/; }
    location /.well-known/acme-challenge { try_files $uri $uri/ =404; }
    location /.well-known/pki-validation { try_files $uri $uri/ =404; }
    return 301 /index.php$request_uri;
}
```

```
# set max upload size
client_max_body_size 20G;
fastcgi_buffers 64 4K;
# Disable gzip to avoid the removal of the ETag header
gzip off;
# Uncomment if your server is build with the ngx_pagespeed module
# This module is currently not supported.
# pagespeed off;
error_page 403 /core/templates/403.php;
error_page 404 /core/templates/404.php;
```

```

location / {
    rewrite ^ /index.php$uri;
}

location ~ ^/(?:build|tests|config|lib|3rdparty|templates|data)/ {
    return 404;
}

location ~ ^/(?:\.|autotest|occ|issue|indie|db_|console) {
    return 404;
}

location ~ ^(.+?\.(php|php2|php3|php4|php5|php7|php8|php9|html|htm|shtml))(/.*)?$ {
    try_files $1 =404;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$1;
    fastcgi_param PATH_INFO $2;
    fastcgi_param HTTPS $https;
    {FASTCGIPASS}
    fastcgi_intercept_errors on;
    fastcgi_index index.php;
    fastcgi_buffers 64 64K;
    fastcgi_buffer_size 256k;
    fastcgi_param modHeadersAvailable true;
    fastcgi_read_timeout 7200;
}

location @php2 {
    fastcgi_split_path_info ^((?U).+\.php)(/?.+)$;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
    fastcgi_param PATH_INFO $fastcgi_path_info;
    fastcgi_param HTTPS $https;
    {FASTCGIPASS}
    fastcgi_intercept_errors on;
    fastcgi_index index.php;
    fastcgi_buffers 64 64K;
    fastcgi_buffer_size 256k;
    fastcgi_param modHeadersAvailable true;
    fastcgi_read_timeout 7200;
}

location ~ ^/(?:index|remote|public|cron|core/ajax/update|status|ocs/v[12]|updater/.+|oc[ms]-provider/.+|core/templates/40[34])\.php(?:$|/) {
    fastcgi_split_path_info ^(.+\.php)(/.*)$;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
    fastcgi_param PATH_INFO $fastcgi_path_info;
    fastcgi_param HTTPS on;
    fastcgi_param modHeadersAvailable true; #Avoid sending the security headers twice
    fastcgi_param front_controller_active true;
    #fastcgi_pass php-handler;
    {FASTCGIPASS}
    fastcgi_intercept_errors on;
    fastcgi_request_buffering off;
}

location ~ ^/(?:updater|oc[ms]-provider)(?:$|/) {
    try_files $uri/ =404;
    index index.php;
}

```

```
# Adding the cache control header for js and css files
# Make sure it is BELOW the PHP block
location ~* \.(?:css|js|mjs)$ {
    try_files $uri /index.php$uri$is_args$args;
    add_header Cache-Control "public, max-age=604800";
    # Add headers to serve security related headers (It is intended to have those duplicated to
the ones above)
    # Before enabling Strict-Transport-Security headers please read into this topic first.
    # add_header Strict-Transport-Security "max-age=15768000; includeSubDomains; preload;";
    add_header X-Content-Type-Options nosniff;
    add_header X-Frame-Options "SAMEORIGIN";
    add_header X-XSS-Protection "1; mode=block";
    add_header X-Robots-Tag none;
    add_header X-Download-Options noopen;
    add_header X-Permitted-Cross-Domain-Policies none;
    # Optional: Don't log access to assets
    access_log off;
}

location ~* \.(?:svg|gif|png|html|ttf|woff2|ico|jpg|jpeg)$ {
    add_header Cache-Control "public, max-age=604800";
    try_files $uri /index.php$uri$is_args$args;
    # Optional: Don't log access to other assets
    access_log off;
}

location = /data/htaccessstest.txt {
    allow all;
    log_not_found off;
    access_log off;
}
```

Dokuwiki

```
location ~ /(conf|bin|inc|vendor|install.php) { deny all; }
location ~ ^/data/ { internal ; }
location ~ ^/lib.*\.(js|css|gif|png|ico|jpg|jpeg)$ { expires 365d; add_header Cache-Control
"public"; }

index doku.php;
location / { try_files $uri $uri/ @dokuwiki; }

location @dokuwiki {
    rewrite ^/_media/(.*) /lib/exe/fetch.php?media=$1 last;
    rewrite ^/_detail/(.*) /lib/exe/detail.php?media=$1 last;
    rewrite ^/_export/([^/]+)/(.*) /doku.php?do=export_$1&id=$2 last;
    rewrite ^/(.*) /doku.php?id=$1&$args last;
}

location ~ /\.php$ {
    fastcgi_split_path_info ^(.+\.php)(/.*)$;
    fastcgi_param HTTPS on;
    include fastcgi_params;
    {FASTCGIPASS}
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
    fastcgi_param REDIRECT_STATUS 200;
}
```

Postfix on Amazon EC2

<https://docs.aws.amazon.com/ses/latest/dg/postfix.html>

<https://support.console.aws.amazon.com/support/contacts#/rdns-limits>

online Resize FS

```
sudo resize2fs /dev/nvme1n1
```

FTP config

```
echo "YOUR_EXTERNAL_IP_ADDR" > /etc/pure-ftpd/conf/ForcePassiveIP
```

MariaDB

$182 + 18.7 \times 25 = \sim 650\text{MB}$

```
key_buffer_size           = 512K
max_connections            = 25
tmp_table_size            = 10M
max_heap_table_size       = 10M
table_definition_cache    = 768
wait_timeout              = 14400
interactive_timeout        = 14400
innodb_log_file_size      = 18M
innodb_buffer_pool_size   = 20M
innodb_log_file_size      = 5M
query_cache_size          = 8M
query_cache_limit         = 2M
query_cache_type          = 1
sort_buffer_size          = 1M
join_buffer_size          = 1M
```

Logo

```
dbispconfig.sys_ini.custom_logo
```

```
echo "data:image/png;base64,`base64 < path/to/your/custom_logo.png | tr -d '\n'`"
```

Recalculate mail quota

```
sudo doveadm quota recal -A
```

From:
<https://wiki.janforman.com/> - wiki.janforman.com

Permanent link:
<https://wiki.janforman.com/linux:ispconfig>

Last update: **2024/04/25 13:50**

