# Table of Contents

**RSYNC** ..... 1
**/etc/rsyncd.conf** ..... 1
**/etc/rsyncd.secrets** ..... 1
**Synchronize with dir** ..... 1

# RSYNC

# /etc/rsyncd.conf

```
use chroot = yes

[documents]
    path = /storage/public
    comment = Public
    uid = nobody
    gid = nobody
    read only = no
    list = yes
    auth users = rsyncclient
    secrets file = /etc/rsyncd.secrets
    hosts allow = 10.0.0.0/255.0.0.0
```

# /etc/rsyncd.secrets

```
rsyncclient:passWord
backup:Password
user:password
```

sudo chmod 600 /etc/rsyncd.secrets

# Synchronize with dir

```
rsync -avzhe ssh --delete /opt/arcgis/server/usr/directories/
root@10.160.149.26:/opt/arcgis/server/usr/directories
```

–bwlimit=100 – limit transferring speed to 100 kB/s
–delete – delete files that are not in source directory
–remove-source-files – delete file after transfer (a.k.a moving files :)
–sparse – handle sparse files efficiently

From:
https://wiki.janforman.com/ - **wiki.janforman.com**

Permanent link:
**https://wiki.janforman.com/rsync**

Last update: **2023/02/23 11:25**