

Table of Contents

- ISPConfig** 1
- AWS Ports** 1
- RSpamD fix signal 11** 1
- PolyChaCha Cipher** 1
- ARM Graviton Install** 1
- Clamav OOM 2
- Nexcloud inside ISPConfig with NGINX 2
- Postfix on Amazon EC2 5
- online Resize FS 6
- Logo 6
- Recalculate mail quota 6

ISPConfig

```
aws ec2 run-instances \  
  --instance-type t4g.small \  
  --image-id ami-0e15cd9cd8e225753 \  
  --security-groups MySecurityGroup \  
  --key-name My-key-pair \  
  --credit-specification "CpuCredits=standard"
```

AWS Ports

TCP

```
21,22,25,53,80,110,143,443,465,587,993,995,4190,8080,8081,40110:40210
```

UDP

```
53
```

RSpamD fix signal 11

```
touch /etc/rspamd/local.d/history_redis.conf
```

```
servers = localhost:6379;  
nrows = 450;  
key_prefix = "rs_history";  
compress = true;
```

PolyChaCha Cipher

```
/usr/local/ispconfig/server/conf-custom/nginx_vhost.conf.master
```

```
ssl_ciphers !aNULL:ECDSA-CHACHA20-POLY1305:ECDSA-AES128-GCM-SHA256:ECDSA-AES256-GCM-SHA256:ECDSA-CHACHA20-POLY1305:ECDSA-RSA-AES128-GCM-SHA256;
```

ARM Graviton Install

Enable swap

```
sudo /bin/dd if=/dev/zero of=/swap.1 bs=1M count=1024  
sudo chmod 600 /swap.1  
sudo /sbin/mkswap /swap.1  
sudo /sbin/swapon /swap.1
```

/etc/fstab

```
/swap.1 swap swap defaults 0 0
```

```
su sudo  
echo "172.0.1.1 hostname.domainname hostname" >>/etc/hosts  
echo "hostname" >/etc/hostname  
sudo apt update && sudo apt upgrade
```

```
sudo apt install linux-modules-extra-aws -y
```

and reboot!

[install.sh](#)

```
#!/bin/bash
# make sure locales are set
sudo sed -i '/^#.* en_US.UTF-8* /s/^#//' /etc/locale.gen
sudo locale-gen
sudo apt update -y
sudo apt install php-fpm ssl-cert curl gnupg software-properties-common rsync pigz php-net-idna2 php7.4-bcmath php8.1-bcmath php7.4-gmp php8.1-gmp -y

mkdir /tmp/ispconfig
cd /tmp/ispconfig
sudo wget -O /tmp/ispconfig/ispconfig.tar.gz
https://www.ispconfig.org/downloads/ispconfig-ai.tar.gz
sudo tar xvfz /tmp/ispconfig/ispconfig.tar.gz -C /tmp/ispconfig

sed -i.bak -e '24d' /tmp/ispconfig/lib/os/class.ISPConfigUbuntu200405.inc.php #no
repositories
sed -i.bak -e '141d' /tmp/ispconfig/lib/os/class.ISPConfigDebian05.inc.php #no rar
package on ARM
php "ispconfig.ai.php" --use-nginx --use-php=7.4,8.1 --use-ftp-ports=40110-40210 --
lang=en --no-ntp
--no-mailman
systemctl stop clamav-daemon
systemctl disable clamav-daemon
systemctl stop clamav-freshclam
systemctl disable clamav-freshclam
sudo rm /etc/rspamd/local.d/antivirus.conf

sudo sed -i 's/^(After\s*=\s*\).*$/\1network-online.target/'
/usr/lib/systemd/system/nginx.service

sudo chown root:ispapps /etc/roundcube/debian-db.php
sudo chmod 640 /etc/roundcube/debian-db.php
sudo chown root:ispapps /etc/roundcube/config.inc.php
sudo chmod 640 /etc/roundcube/config.inc.php
sudo chown -R ispapps:adm /var/log/roundcube
sudo chmod -R 750 /var/log/roundcube
sudo chown -R ispapps:ispapps /var/lib/roundcube/temp
sudo chmod -R 750 /var/lib/roundcube/temp
```

Replace SH with BASH (select NO)

```
dpkg-reconfigure dash
```

Clamav OOM

```
ReadTimeout 10
MaxThreads 3
ConcurrentDatabaseReload no
```

Nexcloud inside ISPConfig with NGINX

php.ini

```

opcache.enable=1
opcache.enable_cli=1
opcache.memory_consumption=128
opcache.max_accelerated_files=10000
opcache.revalidate_freq=120
opcache.validate_timestamps = 0
opcache.save_comments=1
memory_limit = 512M
post_max_size = 300M
upload_max_filesize = 200M
clear_env = no

```

in config.php

```

'htaccess.RewriteBase' => '/',
'htaccess.IgnoreFrontController' => true,

```

nginx upload

copy /usr/local/ispconfig/server/conf/nginx_vhost.conf.master to conf-custom and change

```

-location ~ /\. { deny all
+location ~ /\.(!file).* { deny all

```

```

add_header Strict-Transport-Security "max-age=15768000; includeSubDomains; preload;";
add_header X-Content-Type-Options nosniff;
add_header Referrer-Policy "no-referrer";
add_header X-Frame-Options "SAMEORIGIN";
add_header X-XSS-Protection "1; mode=block";
add_header X-Robots-Tag "noindex, nofollow";
add_header X-Download-Options noopen;
add_header X-Permitted-Cross-Domain-Policies none;

```

```

location = /robots.txt {
    allow all;
    log_not_found off;
    access_log off;
}

```

```

location ~ \.php$ {
    try_files /b615814d8f2c19dbcb25b1fbae07ce38.htm @php2;
}

```

```

location ^~ /.well-known {
    location = /.well-known/carddav { return 301 /remote.php/dav/; }
    location = /.well-known/caldav { return 301 /remote.php/dav/; }
    location /.well-known/acme-challenge { try_files $uri $uri/ =404; }
    location /.well-known/pki-validation { try_files $uri $uri/ =404; }
    return 301 /index.php$request_uri;
}

```

```

# set max upload size
client_max_body_size 20G;
fastcgi_buffers 64 4K;
# Disable gzip to avoid the removal of the ETag header
gzip off;
# Uncomment if your server is build with the ngx_pagespeed module
# This module is currently not supported.
# pagespeed off;
error_page 403 /core/templates/403.php;
error_page 404 /core/templates/404.php;

```

```
location / {
    rewrite ^ /index.php$uri;
}

location ~ ^/(?:build|tests|config|lib|3rdparty|templates|data)/ {
    return 404;
}

location ~ ^/(?:\.|autotest|occ|issue|indie|db_|console) {
    return 404;
}

location ~ ^(\.+?\.\php)(/.*)?$ {
    try_files $1 =404;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$1;
    fastcgi_param PATH_INFO $2;
    fastcgi_param HTTPS $https;
    {FASTCGIPASS}
    fastcgi_intercept_errors on;
    fastcgi_index index.php;
    fastcgi_buffers 64 64K;
    fastcgi_buffer_size 256k;
    fastcgi_param modHeadersAvailable true;
    fastcgi_read_timeout 7200;
}

location @php2 {
    fastcgi_split_path_info ^((?U).+\.php)(/?.+)$;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
    fastcgi_param PATH_INFO $fastcgi_path_info;
    fastcgi_param HTTPS $https;
    {FASTCGIPASS}
    fastcgi_intercept_errors on;
    fastcgi_index index.php;
    fastcgi_buffers 64 64K;
    fastcgi_buffer_size 256k;
    fastcgi_param modHeadersAvailable true;
    fastcgi_read_timeout 7200;
}

location ~ ^/(?:index|remote|public|cron|core/ajax/update|status|ocs/v[12]|updater/.+|ocs-provider/.+|core/templates/40[34])\.php(?:$|/) {
    fastcgi_split_path_info ^(\.+\.php)(/.*)$;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
    fastcgi_param PATH_INFO $fastcgi_path_info;
    fastcgi_param HTTPS on;
    fastcgi_param modHeadersAvailable true; #Avoid sending the security headers twice
    fastcgi_param front_controller_active true;
    #fastcgi_pass php-handler;
    {FASTCGIPASS}
    fastcgi_intercept_errors on;
    fastcgi_request_buffering off;
}

location ~ ^/(?:updater|ocs-provider)(?:$|/) {
    try_files $uri/ =404;
    index index.php;
}
```

```
# Adding the cache control header for js and css files
# Make sure it is BELOW the PHP block
location ~* \.(?:css|js|mjs|map)$ {
    try_files $uri /index.php$uri$is_args$args;
    add_header Cache-Control "public, max-age=604800";
    # Add headers to serve security related headers (It is intended to have those duplicated to
the ones above)
    # Before enabling Strict-Transport-Security headers please read into this topic first.
    # add_header Strict-Transport-Security "max-age=15768000; includeSubDomains; preload;";
    add_header X-Content-Type-Options nosniff;
    add_header X-Frame-Options "SAMEORIGIN";
    add_header X-XSS-Protection "1; mode=block";
    add_header X-Robots-Tag none;
    add_header X-Download-Options noopen;
    add_header X-Permitted-Cross-Domain-Policies none;
    # Optional: Don't log access to assets
    access_log off;
}

location ~* \.(?:svg|gif|ico|jpg|png|webp|wasm|tflite|map|ogg|flac|otf|woff2)$ {
    add_header Cache-Control "public, max-age=604800";
    try_files $uri /index.php$uri$is_args$args;
    # Optional: Don't log access to other assets
    access_log off;
}

location = /data/htaccessstest.txt {
    allow all;
    log_not_found off;
    access_log off;
}
```

Dokuwiki

```
location ~ /(conf|bin|inc|vendor|install.php) { deny all; }
location ~ ^/data/ { internal ; }
location ~ ^/lib.*\.(js|css|gif|png|ico|jpg|jpeg)$ { expires 365d; add_header Cache-Control
"public"; }

index doku.php;
location / { try_files $uri $uri/ @dokuwiki; }

location @dokuwiki {
    rewrite ^/_media/(.*) /lib/exe/fetch.php?media=$1 last;
    rewrite ^/_detail/(.*) /lib/exe/detail.php?media=$1 last;
    rewrite ^/_export/([^\/]+)/(.*) /doku.php?do=export_$1&id=$2 last;
    rewrite ^/(.*) /doku.php?id=$1&$args last;
}

location ~ \.php$ {
    fastcgi_split_path_info ^(.+\.(php))/(.*)$;
    fastcgi_param HTTPS on;
    include fastcgi_params;
    {FASTCGIPASS}
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
    fastcgi_param REDIRECT_STATUS 200;
}
```

Postfix on Amazon EC2

<https://docs.aws.amazon.com/ses/latest/dg/postfix.html>

<https://support.console.aws.amazon.com/support/contacts#/rdns-limits>

online Resize FS

```
sudo resize2fs /dev/nvme1n1
```

FTP config

```
echo "YOUR_EXTERNAL_IP_ADDR" > /etc/pure-ftpd/conf/ForcePassiveIP
```

MariaDB

182 + 18.7×24 = ~630MB

```
key_buffer_size           = 256K
max_connections            = 24
tmp_table_size            = 10M
max_heap_table_size       = 10M
table_definition_cache    = 768
wait_timeout              = 14400
interactive_timeout       = 14400
innodb_log_file_size     = 18M
innodb_buffer_pool_size  = 22M
innodb_log_file_size     = 5M
query_cache_size         = 8M
query_cache_limit        = 2M
query_cache_type         = 1
sort_buffer_size         = 1M
join_buffer_size         = 1M
innodb_checksum_algorithm = 0
innodb_doublewrite       = 0
innodb_flush_log_at_trx_commit = 2
innodb_flush_method      = 0_DIRECT_NO_FSYNC
innodb_file_per_table    = 1
thread_cache_size        = 32
```

Logo

```
dbispconfig.sys_ini.custom_logo
```

```
echo "data:image/png;base64,`base64 < path/to/your/custom_logo.png | tr -d '\n'`"
```

Recalculate mail quota

```
sudo doveadm quota recal -A
```

From:
<https://wiki.janforman.com/> - **wiki.janforman.com**

Permanent link:
<https://wiki.janforman.com/linux:ispconfig>

Last update: **2026/03/06 10:33**

