

Table of Contents

- Micro Cloud (Hybrid) Architecture DRAFT** 1
- AWS Basic knowledge (Introduction by Chetan)** 1
- This is My Architecture playlist from AWS** 1
- Schematics** 1
 - Basic Topology 1
 - Integration Schema 2
 - Service Flow 2
 - CEPH SD Storage Schema 2
 - AZ recommendation 3
 - HA granularity 3
- Software Stack** 3
 - Cloud Core Infrastructure (IaaS) 3
 - Deployment 4
 - Security as a Service (SECaaS) 4
 - Software as a Service (SaaS) 4
 - Platform as a Service (PaaS) 5
 - Cloud-Init 5
 - API + CLI 5
 - Multiusers setups 5
 - Kubernetes (MicroK8s) 5
 - Hardware Draft 6
 - Security 6
 - Man-Trap 6
 - Zero-Trust-Security 6
 - Main-Distribution-Frame (MDF) 6
 - Intermediate Distribution Frame (IDF) 6
 - Meet-Me-Room (MMR) 6
 - Carrier Hotel 6
 - CDN 6
- Hardware suppliers & Datacenter vendors** 6
- Remarks** 7
 - Add Storage type 7
 - Backup 7
 - Storage CEPH 7
 - Create VM 8
 - Running VM 9
 - Firewall Template (SECaaS) 10
 - MultiCluster Proxmox Dashboard 10
 - MultiCluster Kubernetes Dashboard 11
 - Proxmox on RaspberryPI 5 / with Win11 ARM inside 11
 - Proxmox direct import from VMWare ESXi 11
 - AWS Load Balancer 11
 - Software stack overview 13
 - Openstack 14
 - CEPH 3node 10gbit performance (KVM-VirtIO) 17

Micro Cloud (Hybrid) Architecture DRAFT

Disposable HW and SW architecture required! Vendor-lock-in may be kept at minimum levels. SDDC (Software-Defined Data Center): A data storage facility where networking, storage, CPU and security are virtualized and delivered as a service. Stable, cheap, good enough.

Tier	Description
I	A Tier 1 data center is a basic server room implementing the general guidelines for computer system installations. This first level runs within a 99.671 percent availability through one non-redundant distribution path with non-redundant capacity components.
II	A Tier 2 data center Includes all requirements of Tier 1, plus a guarantee of 99.741 percent availability with redundant site infrastructure capacity components.
III	In addition to fulfilling requirements of Tiers 1 and 2, Tier 3 data centers provide dual-powered IT equipment to receive data from multiple independent distribution paths with an increased availability of 99.982 percent guaranteed.
IV	Tier 4 data centers include the components of the first three Tiers with the addition of independently dual-powered cooling equipment. The site infrastructure is fault-tolerant with distribution capability and the capacity to store electrical power. An availability of 99.995 percent is guaranteed.


AWS Basic knowledge (Introduction by Chetan)

This is My Architecture playlist from AWS

[This is my architecture](#)


Schematics

Basic Topology



Firewalls are templates linked to VPS instance

Integration Schema




Service Flow

CEPH SD Storage Schema

Ceph Storage at CERN (IT Department)

Exabyte storage scaleout with Geocluster and autoscaling

Object Store Daemon (OSD) Read and Write Flow



IDF15

© 2015 Jian Zhang [Intel CEPH software optimizations for cloud workloads](#)

Replication HA schema

- root
- \ datacenter
- \ \ row
- \ \ \ rack
- \ \ \ \ host
- \ \ \ \ \ osd

AZ recommendation

EBS	1x AZ
EFS	~3x AZ (Full region)
S3	~3x AZ (Full region)

HA granularity

By service	No HA	Single AZ	MultiAZ
VPS	Yes	No	No
CephFS	No	Yes	may
Blockstorage - CEPH	No	Yes	may
Blockstorage - Minio	Yes	may	No
GalleraCluster	No	Yes	may
ScyllaDB	No	Yes	may
Mariadb	Yes	Yes	may
Postgresql	Yes	Yes	may
Citus	No	Yes	may

Software Stack

Cloud Core Infrastructure (IaaS)

Type	Cloud Service Description	CPU support
Compute Nodes and Management	AWS EC2 replacement with cloudinit support	ARM support
Openstack	Full, but as LEGO style	YES
Proxmox	Light, but EASY to implement	YES
- LXC may deploy container templates - both have native CEPH support		
SD Storage (Object, Block, File) Scaleout	AWS S3 compatible and EBS replacement	
AWS EBS - CEPH SD Block Storage	Hyperconverged or PetaSAN	YES
AWS EFS - CEPH SD File Storage	Hyperconverged or PetaSAN	YES
SD Load Balancer, Cache	AWS ELB / Citrix Netscaler replacement	
NGINX	or AlibabaCloud clone	YES
Integration + Enterprise Service Bus	IBM WebSphere replacement	
WSO2 Integrator		YES
Mass webhosting		
ISP Config		YES
MQTT Platform	AWS IoT core replacement	
Mosquitto		YES
Cloud Data Synchronization / Backup		
Rclone		YES
Restic		YES
Infrastructure Monitoring System	AWS CloudWatch replacement	
NetXMS		agent only
Grafana		YES
Kubernetes Orchestrator	AWS EKS replacement	
Mikro K8s		
Microsoft Windows	Windows Infrastructure	\$\$\$ not recommended
1x Datacenter - dedicated HW	Xx Server Standard on KVM	no/LIMITED
XXX users	CAL (client access licence) per user	
Cloudinit for Windows		

Deployment

Ansible
Terraform
Juju

Security as a Service (SECaaS)

Type	Cloud Service Description	CPU support
WAF (Application Firewall)		
OWASP® ModSecurity	+nginx connector	YES
SD Firewall	AWS VPC, Security groups replacement	
Integrated firewall with templates	inside hypervisor	YES
pfSense	+platform integrated (VPS sandboxing)	LIMITED

Software as a Service (SaaS)

Type	Info	Service Description	Location
Services and Management	API catalog	WSO2 API Manager	KVM or LXC
DB	PostgreSQL	CitusData (Sharding Cluster)	KVM or LXC
DB	PostgreSQL	Postgresql	KVM or LXC
DB	PostgreSQL	Neon	KVM or LXC
DB	MariaDB	MariaDB with GalleraCluster	KVM or LXC
DB	AWS DynamoDB replacement	ScyllaDB Alternator	KVM or LXC
Storage	AWS S3	Ceph version	CEPH Cluster
Storage	AWS S3	Minio version	Minio Cluster

Platform as a Service (PaaS)

Type	Name	Service Description	Location
Web Publishing	Info	Wordpress	ISPConfig
Web Storage	Network Drive	NextCloud * can use AWS S3	ISPConfig, LXC or KVM
Videoconferencing	Talk	Talk * WebRTC	Inside Nextcloud + coTurn Server
Bug Tracking	Bug Tracking	Mantis Bug Tracker	ISPConfig
Forum	Discussion Forum	VanillaForums	ISPConfig
Knowledge Base	Wikipedia	DokuWiki	ISPConfig

* WebRTC is decentralized protocol it may needs some help from CDN

Cloud-Init

KVM - Virtual drive with configuration

LXC - scripts for distribution executed directly in container


API + CLI

[PROXMOX API documentation](#)

Multiuser setups

You may use pools inside Proxmox to separate users and namespaces inside Kubernetes

Kubernetes (MicroK8s)



Hardware Draft

Compute nodes
AMD Epyc
EBS - SD Storage
Ampere / ARM 4x core+

Security

Biometric Readers + card

Man-Trap

Cage or room with Biometric Readers + card

Zero-Trust-Security

Every microservice must not trust to anyone else

Main-Distribution-Frame (MDF)

Incoming and outgoing communication and power lines within a building
 A panel or set of panels where all communication cables from different parts of the building are both terminated and connected.
 Cage or room with Biometric Readers + card

Intermediate Distribution Frame (IDF)

A wall-mounted or free-standing rack used to manage and interconnect a telecommunications cable between end-user devices and the main distribution frame (MDF).

Meet-Me-Room (MMR)

Network interchange place
 Cage or room with Biometric Readers + card

Carrier Hotel

Internet exchange points for an area.

CDN

Content Delivery Network with NGINX or TENGINE

Hardware suppliers & Datacenter vendors

[Reuse what's possible and make sense](#)

Hardware	Datacenter builders
ASRock Rack	Equinix

Hardware	Datacenter builders
Gigabyte Enterprise	Digital Realty
Ingrasys	Cologix
Wiwynn	Aligned
Quanta Cloud Technology	DataBank
Tyan	NTT Data
Invetec	Digital Edge
ZT systems	EdgeConneX
Supermicro	

Remarks

Add Storage type

Datacenter

The screenshot shows a web interface for configuring storage. On the left is a sidebar with navigation items: Search, Summary, Notes, Cluster, Ceph, Options, Storage (highlighted), Backup, Replication, Permissions, Users, API Tokens, and Two Factor. The main area has buttons for 'Add', 'Remove', and 'Edit'. A dropdown menu is open, listing storage options: Directory, LVM, LVM-Thin, BTRFS, NFS, SMB/CIFS, GlusterFS, iSCSI, CephFS (highlighted), RBD, ZFS over iSCSI, ZFS, Proxmox Backup Server, and ESXi. To the right, a table lists existing storage configurations:

Type	Content
RBD (PVE)	Disk image, Container
Directory	VZDump backup file
LVM-Thin	Disk image, Container
NFS	VZDump backup file
NFS	Disk image, ISO image, Container template

Backup

Virtual Machine 111 (ora-jispcv.hzscr.internal) on node 'cloud-gis02' legacy sql Start Shutdown Migrate Console More Help

Summary | Backup now | Restore | Show Configuration | Edit Notes | Change Protection | Remove | Storage: synology-backup

Name	Notes	Date ↓	Format	Size
vzdump-qemu-111-2024_08_24-03_00_04.vma.zst		2024-08-24 03:00:04	vma.zst	140.98 GB
vzdump-qemu-111-2024_08_17-03_00_00.vma.zst		2024-08-17 03:00:00	vma.zst	141.38 GB
vzdump-qemu-111-2024_08_10-03_00_01.vma.zst		2024-08-10 03:00:01	vma.zst	142.88 GB
vzdump-qemu-111-2024_08_03-03_00_10.vma.zst		2024-08-03 03:00:10	vma.zst	143.00 GB
vzdump-qemu-111-2024_07_27-03_00_00.vma.zst		2024-07-27 03:00:00	vma.zst	143.10 GB
vzdump-qemu-111-2024_07_20-03_00_10.vma.zst		2024-07-20 03:00:10	vma.zst	143.09 GB
vzdump-qemu-111-2024_07_13-03_00_05.vma.zst		2024-07-13 03:00:05	vma.zst	143.64 GB

Storage CEPH

Replication schema

No OSD selected

Name ↑	Class	OSD Type	Status	Version	weight	reweight	Used (%)	Total	Apply/Commit Latency (ms)	PGs
default										
cloud-gis00				18.2.2						
osd.0	ssd	bluestore	up ● / in ●	18.2.2	1.74599	1.00	7.87	1.75 TiB	1 / 1	86
osd.7	ssd	bluestore	up ● / in ●	18.2.2	1.74599	1.00	10.99	1.75 TiB	1 / 1	76
osd.8	ssd	bluestore	up ● / in ●	18.2.2	1.81879	1.00	10.16	1.82 TiB	1 / 1	79
cloud-gis01				18.2.2						
osd.1	ssd	bluestore	up ● / in ●	18.2.2	1.7466	1.00	10.11	1.75 TiB	0 / 0	87
osd.2	ssd	bluestore	up ● / in ●	18.2.2	1.7466	0.95001	10.54	1.75 TiB	0 / 0	72
osd.3	ssd	bluestore	up ● / in ●	18.2.2	1.7466	0.95001	8.79	1.75 TiB	0 / 0	82
cloud-gis02				18.2.2						
osd.4	ssd	bluestore	up ● / in ●	18.2.2	1.7466	0.90002	9.20	1.75 TiB	0 / 0	78
osd.5	ssd	bluestore	up ● / in ●	18.2.2	1.7466	1.00	8.77	1.75 TiB	0 / 0	75
osd.6	ssd	bluestore	up ● / in ●	18.2.2	1.7466	0.95001	11.45	1.75 TiB	0 / 0	88

CEPH One SSD backbone network connectivity

Details: OSD 8 ✕

General **Network** Devices

Front Address (Client & Monitor)	v2: 172.24.16.1:6808 v1: 172.24.16.1:6809
Heartbeat Front Address	v2: 172.24.16.1:6813 v1: 172.24.16.1:6814
Back Address (OSD)	v2: 172.24.16.1:6810 v1: 172.24.16.1:6811
Heartbeat Back Address	v2: 172.24.16.1:6816 v1: 172.24.16.1:6818

CEPH Pools (replication config)

Pool #	Name	Size/min	# of Placement Groups	Optimal # of PGs	Autoscale Mode	CRUSH Rule (ID)	Used (%)
3	ceph-pool	3/2	64	32	off	replicated_rule (0)	1.61 TiB (12.81%)
12	.mgr	3/2	1	1	on	replicated_rule (0)	209.26 MiB (0.00%)
13	.rgw.root	3/2	32	32	warn	replicated_rule (0)	48.00 KiB (0.00%)
14	default.rgw.log	3/2	32	32	warn	replicated_rule (0)	408.00 KiB (0.00%)
15	default.rgw.control	3/2	32	32	warn	replicated_rule (0)	0 B (0.00%)
16	default.rgw.meta	3/2	8	8	warn	replicated_rule (0)	119.21 KiB (0.00%)
17	default.rgw.buckets.index	3/2	8	8	warn	replicated_rule (0)	157.69 KiB (0.00%)
18	default.rgw.buckets.data	3/2	32	32	warn	replicated_rule (0)	93.65 GiB (0.83%)
19	default.rgw.buckets.non-ec	3/2	32	32	warn	replicated_rule (0)	15.59 KiB (0.00%)
							1.70 TiB

Create VM

Create: LXC Container



- General
- Template**
- Disks
- CPU
- Memory
- Network
- DNS
- Confirm

Storage:

Template:

Name	For...	Size
amzn-2-standard-amd64.tar.gz	tgz	91.42 MB
centos-6-arccgis_10-1_x86_64.tar.gz	tgz	1.37 GB
centos-6-oracle12c-1_x86_64.tar.gz	tgz	5.56 GB
debian-12-standard_12.2-1_amd64.tar.zst	tzst	126.13 MB
oracle-8-cloud_amd64.tar.gz	tgz	214.10 MB
rockylinux-9-default_20221109_amd64.tar.xz	txz	102.70 MB
ubuntu-22.04-standard_22.04-1_amd64.tar.zst	tzst	129.82 MB
ubuntu-24.04-standard_24.04-2_amd64.tar.zst	tzst	141.59 MB

Running VM

Virtual Machine 125 (wso2mi.hzspk.internal) on node 'cloud-gis02' web

Start | Shutdown | Migrate | Console | More | Help

Week (average)

Summary

- Console
- Hardware
- Cloud-Init
- Options
- Task History
- Monitor
- Backup
- Replication
- Snapshots
- Firewall
- Permissions

wso2mi.hzspk.internal (Uptime: 361 days 20:35:0)

Status running

HA State started, Group: XeonE5-2680

Node cloud-gis02

CPU usage 1.11% of 4 CPU(s)

Memory usage 70.62% (2.82 GiB of 4.00 GiB)

Bootdisk size 16.00 GiB

IPs 10.160.149.9
fe80::be24:11ff:fe0e:2628

Notes

WSO2 µIntegrator 4.1 == ! ==

IP: 10.160.149.9 @ UBUNTU 22.04 LTS 64bit

ORACLE, Postgres, MariaDB, MSSQL connectors

+Mosquitto 3.1 +NGINX

CPU usage

Memory usage

Network traffic

Container 106 (sz-hzscr.internal) on node 'cloud-gis01' No Tags

Start Shutdown Migrate Console More Help

Week (average)

Summary

- Console
- Resources
- Network
- DNS
- Options
- Task History
- Backup
- Replication
- Snapshots
- Firewall
- Permissions

sz-hzscr.internal (Uptime: 12 days 21:06:43) CentOS

Status: running
 HA State: none
 Node: cloud-gis01
 Unprivileged: No
 CPU usage: 0.01% of 6 CPU(s)
 Memory usage: 13.07% (133.79 MiB of 1.00 GiB)
 SWAP usage: N/A
 Bootdisk size: 18.43% (2.87 GiB of 15.58 GiB)

Notes

Polohy SŽ, IZS == 1 ==

IP: 10.160.149.24 @ ROCKY Linux 8.10 + NGINX + PHP + SQLite3 + SpatialLite

Parsuje data SŽ a na základě propojení dat odhaduje polohu vlaků Poskytuje GeoJSON rozhraní nad polohami vozidel

<http://10.160.149.24>

CPU usage

Memory usage

Network traffic

Firewall Template (SEaaS)

Group: Create Remove Edit

Rules: Add Copy Remove Edit

Group ↑	Comment	On	Type	Action	Macro	Protocol	Source	S.Port	Destination	D.Port
ags	ArcGIS Enterprise	<input checked="" type="checkbox"/>	out	ACCEPT	Ping					
lb	Load Balancer	<input checked="" type="checkbox"/>	out	DROP						
scylladb	Big Data	<input checked="" type="checkbox"/>	in	ACCEPT	Ping					
web	Accept HTTP traffic	<input checked="" type="checkbox"/>	in	ACCEPT		tcp			+cloud	8080
wso2	Micro Integrator	<input checked="" type="checkbox"/>	in	ACCEPT	HTTP		+cloud		+cloud	
		<input checked="" type="checkbox"/>	in	ACCEPT	HTTPS		+cloud		+cloud	
		<input checked="" type="checkbox"/>	in	DROP						

MultiCluster Proxmox Dashboard

The screenshot displays the Proxmox VE dashboard with the following sections:

- System Resources:** CPU (2.5%), RAM (45.6%), and DISK (23.0%) usage for the cloud-gis cluster.
- Status:** 3 online node(s), 0 offline node(s).
- Virtual machines:** 6 virtual machine(s) started, 1 virtual machine(s) stopped, 0 template(s).
- LXC Containers:** 18 LXC container(s) started, 1 LXC container(s) stopped.
- Resources Summary:**
 - CPU: 3% (144 CPU(s))
 - RAM: 46% (169.69 GB / 371.36 GB)
 - DISK: 25% (24.74 TB / 98.93 TB)
- Nodes Table:**

Node	ID	IP	CPU	RAM	DISK	UPTIME
cloud-gis00	1	10.160.149.10	4.4%	14.8%	7.1%	40 jour(s) 00:45:58
cloud-gis01	2	10.160.149.11	1.9%	72.4%	15.3%	411 jour(s) 03:05:45
cloud-gis02	3	10.160.149.12	1.4%	70.4%	19.3%	413 jour(s) 02:14:02
- Server load:** A line graph showing average server load for cloud-gis00, cloud-gis01, and cloud-gis02 over time.
- Activity Log:**

Start time	End time	Duration	Node	User	Description	Status
28/08/24 11:48:08	28/08/24 11:48:55	00:00:47	cloud-gis00	root@pam	Shell	OK
28/08/24 11:45:54	28/08/24 11:48:06	00:02:12	cloud-gis00	root@pam	Shell	OK
28/08/24 11:45:04	28/08/24 11:45:49	00:00:45	cloud-gis00	root@pam	Shell	OK
28/08/24 11:08:12	28/08/24 11:52:25	00:44:13	cloud-gis00	root@pam	Shell	OK
28/08/24 11:07:47	28/08/24 11:08:09	00:00:22	cloud-gis00	root@pam	Shell	OK

MultiCluster Kubernetes Dashboard

[Kubernetes KubeWall](#)

Proxmox on RaspberryPI 5 / with Win11 ARM inside

Proxmox direct import from VMWare ESXi

<https://www.youtube.com/watch?v=8Z9Zvt2RxlA>

AWS Load Balancer

VPC dashboard × **Subnets (1/2) Info** Last updated 12 minutes ago Actions Create subnet

Name	Subnet ID	State	VPC	IPv4 CIDR	IPv6 CIDR	Available IPv4 addresses
<input checked="" type="checkbox"/>	subnet-0ff8394458cb94e1c	Available	vpc-05adaa844b29dde10	172.31.0.0/20	2a05:d016:8cd:c9c9::/64	4090
<input type="checkbox"/>	my-test-subnet-delete	Available	vpc-05adaa844b29dde10	172.31.16.0/24	-	250

subnet-0ff8394458cb94e1c Details Flow logs Route table Network ACL CIDR reservations Sharing Tags

Details


Subnet ID subnet-0ff8394458cb94e1c	Subnet ARN arn:aws:ec2:eu-north-1:964348697580:subnet/subnet-0ff8394458cb94e1c	State Available	IPv4 CIDR 172.31.0.0/20
Available IPv4 addresses 4090	IPv6 CIDR 2a05:d016:8cd:c9c9::/64	Availability Zone eu-north-1c	Availability Zone ID eun1-az3
Network border group eu-north-1	VPC vpc-05adaa844b29dde10	Route table rtb-0d4956eb400df7ae5	Network ACL acl-0fb585019407f5f5b
Default subnet Yes	Auto-assign public IPv4 address Yes	Auto-assign IPv6 address No	Auto-assign customer-owned IPv4 address No
Customer-owned IPv4 pool		IPv4 CIDR reservations	IPv6 CIDR reservations

loadbalancer Actions

Details

Load balancer type Application	Status Active	VPC vpc-05adaa844b29dde10	IP address type IPv4
Scheme Internet-facing	Hosted zone Z23TAZGLKFMNIO	Availability Zones subnet-0ff8394458cb94e1c eu-north-1c (eun1-az3) subnet-0072d5382bbbf4fa eu-north-1a (eun1-az1)	Date created June 17, 2024, 10:45 (UTC+02:00)
Load balancer ARN arn:aws:elasticloadbalancing:eu-north-1:964348697580:loadbalancer/app/loadbalancer/c523f95aa5f7762d	DNS name loadbalancer-873478218.eu-north-1.elb.amazonaws.com (A Record)		

Listeners and rules | Network mapping | **Resource map - new** | Security | Monitoring | Integrations | Attributes | Tags



EC2 > Target groups > maintarget

maintarget Actions ▾

Details

arn:aws:elasticloadbalancing:eu-north-1:964348697580:targetgroup/maintarget/a1235ec01f739182

Target type Instance	Protocol : Port HTTPS: 443	Protocol version HTTP1	VPC vpc-05adaa844b29dde10
IP address type IPv4	Load balancer loadbalancer		

1 Total targets	✔ 1 Healthy <hr style="width: 100%;"/> 0 Anomalous	✘ 0 Unhealthy	⊖ 0 Unused	⊖ 0 Initial	⊖ 0 Draining
--------------------	---	---	---	--	---

► Distribution of targets by Availability Zone (AZ)
Select values in this table to see corresponding filters applied to the Registered targets table below.

Registered targets (1)
Anomaly mitigation: Not applicable
Deregister
Register targets

Target groups route requests to individual registered targets using the protocol and port number specified. Health checks are performed on all registered targets according to the target group's health check settings. Anomaly detection is automatically applied to HTTP/HTTPS target groups with at least 3 healthy targets.

Instance ID	Name	Port	Zone	Health status	Health status details	Launch...	Anomaly detection result
i-004de795859f9ea1f	eu-north-1	443	eu-north-1c	✔ Healthy	-	November...	✔ Normal

AWS S3 (replicated across AZs within location), S3 Express One Zone (faster, cheaper only one zone)

Software stack overview

Openstack	Pros	Cons
	OpenSource, cost-effective	Hard to setup
	Modular design	Modular design
	Ultimate solution for very large clouds	Higher maintenance costs
NASA Hybrid Cloud Amazon AWS and OpenStack, SEZNAM.cz AT&T runs its mobile core network on an OpenStack cloud, serving millions of subscribers. China Mobile, one of the world's largest telecom providers, is building the biggest NFV network based on OpenStack with over 50,000 servers. OpenStack is more alive than ever with 40 million cores in production and over 300 public cloud data centers worldwide.		
Proxmox	Pros	Cons
	OpenSource, cost-effective	Scalability issues for very large environments
	Easy to setup	approx. 32 servers in group more needs MultiCluster manager
	Multiple HV KVM, LXC	Limited enterprise support
	LXC is very lightweight	Upgrade on OS level
	Integrated SD storage, SD firewall	
	CEPH and ZFS implemented	
	Can consume CEPH from a dedicated cluster	
	Open vSwitch alternative to vSphere Distributed Switch	
	SDN Network alternative to NSX-T Data Center	
OpenNebula	Pros	Cons
	Multiple HV KVM, LXC, vCenter	
	Kubernetes included	
Nutanix AHV	Pros	Cons
	Easy to setup	
	Kubernetes Support	Vendor-lock-in
	Integrated storage and networking solutions	Higher cost
Microsoft Hyper-V	Pros	Cons
	Easy to setup	Cost
		Additional licensing costs!

Openstack	Pros	Cons
		Vendor-lock-in
VMWare	Pros	Cons
	Easy to setup	Higher cost
		Additional licensing costs!
		Vendor-lock-in

CEPH	Pros	Cons
	No single point of failure	Complex
	Data durability via replication or erasure coding	minimum 8nodes+ recommended
	No interruption of service from rolling upgrades, online expansion, etc.	QoS on pool
	A single cluster can serve object, block, and file	
	Compatibility with Openstack, S3, K8s, Proxmox	

Notable known references

Approx 3500 clusters worldwide with more than 1.5EB capacity

CERN storage services and its support of experiments, 37000 users 5100 projects in data centers.

SAMSUNG CHINA MOBILE DigitalOcean

My experience from 7.3.2018 in production 18TB MLC AllFlash

Openstack

The screenshot shows the OpenStack web interface. At the top, there's a navigation bar with the OpenStack logo, the domain 'janforman.com', and the user 'admin'. Below the navigation bar is a sidebar menu with options like Project, API Access (selected), Compute, Volumes, Container Infra, Network, Admin, and Identity. The main content area is titled 'API Access' and shows a list of service endpoints. There are buttons for 'View Credentials' and 'Download OpenStack RC File'. The list of endpoints is as follows:

Service	Service Endpoint
Compute	http://10.20.21.12:80/openstack-nova/v2.1
Identity	http://10.20.21.12/openstack-keystone/v3
Image	http://10.20.21.12:80/openstack-glance
Network	http://10.20.21.12:80/openstack-neutron
Placement	http://10.20.21.12:80/openstack-placement
Volumev2	http://10.20.21.12:80/openstack-cinder/v2/9cca5b7c2ba3428e95d3e71da229a71b
Volumev3	http://10.20.21.12:80/openstack-cinder/v3/9cca5b7c2ba3428e95d3e71da229a71b

Spustit instanci



Podrobnosti

Typy určují velikost výpočetních, pamětních a úložných možností instance.

Zdroj

Přiděleno

Zobrazena 1 položka

Typ

Název	VCPUS	RAM	Celková kapacita disku	Systémový disk	Efemérní disk	Veřejné
> t4g.small	2	8 MB	8 GB	0 GB	8 GB	Ano

Zobrazena 1 položka

Sítě

Síťové porty

Bezpečnostní skupiny

▼ Dostupné 4

Vyberte jeden

Key Pair

Konfigurace

Zobrazeny 4 položky

Skupiny serverů

Název	VCPUS	RAM	Celková kapacita disku	Systémový disk	Efemérní disk	Veřejné
> m1.tiny	1	512 MB	4 GB	4 GB	0 GB	Ano
> m1.small	1	2 GB	30 GB	30 GB	0 GB	Ano
> m1.medium	2	4 GB	60 GB	60 GB	0 GB	Ano
> m1.large	4	8 GB	90 GB	90 GB	0 GB	Ano

Zobrazeny 4 položky

Plánovač pokynů

Metadata

✕ Zrušit

< Zpět

Další >

☁ Spustit instanci

Vytvořit obraz



Detaily obrazu *

Metadata

Detaily obrazu

Zadejte obraz pro nahrání do Služby obrazů.

Název obrazu

windows xp

Popis obrazu

Zdroj obrazu

Soubor *

Vybrat soubor WinXPSP3-VE-052011.iso

Formátovat *

- ISO - obraz optického disku
- PLOOP - Virtuozzo/Parallels Loopback Disk
- QCOW2 - emulátor QEMU
- Raw
- VDI - obraz virtuálního disku
- VHD - virtuální pevný disk
- VMDK - disk virtuálního stroje
- AKI - obraz kernelu Amazon**
- AMI - obraz stroje Amazon
- ARI - obraz Ramdisku Amazon

Viditelnost

Privátní Sdíleno Community Veřejné

Ramdisk

Zvolit obraz

Minimální kapacita disku (GB)

0

Minimum RAM (MB)

0

Chráněno


Ano Ne

Zrušit

< Zpět

Další >

Vytvořit obraz



janforman.com • admin

admin

- Project
- API Access
- Compute
- Overview
- Instances
- Images
- Key Pairs**
- Server Groups
- Volumes
- Container Infra
- Network
- Admin
- Identity

Project / Compute / Key Pairs

Key Pairs

Click here for filters or full text search.

Vytvořit klíč

Import Public Key

Delete Key Pairs

Zobrazena 1 položka

<input type="checkbox"/>	Název ^	Typ	
<input type="checkbox"/>	eu-plz-cloud	ssh	Delete Key Pair

Zobrazena 1 položka

openstack | janforman.com • admin | admin

Project / Volumes / Volumes

Volumes

Filter + Create Volume ⇌ Accept Transfer Delete Volumes

Zobrazena 1 položka

<input type="checkbox"/>	Name	Description	Size	Status	Group	Type	Attached To	Availability Zone	Bootable	Encrypted	Actions
<input type="checkbox"/>	elastic volume	-	8GiB	-	-	ebs-1000	nova	nova	No	No	Delete Volume

Snapshots: Zobrazena 1 položka
 Groups:
 Group Snapshots:
 Container Infra: Zobrazena 1 položka
 Network:
 Admin:
 Identity:

CEPH 3node 10gbit performance (KVM-VirtIO)

Block Size	4k	(IOPS)	64k	(IOPS)
-----	---	----	-----	-----
Read	49.45 MB/s	(12.3k)	220.80 MB/s	(3.4k)
Write	49.54 MB/s	(12.3k)	221.96 MB/s	(3.4k)
Total	98.99 MB/s	(24.7k)	442.76 MB/s	(6.9k)
Block Size	512k	(IOPS)	1m	(IOPS)
-----	---	----	-----	-----
Read	597.15 MB/s	(1.1k)	663.25 MB/s	(647)
Write	628.88 MB/s	(1.2k)	707.43 MB/s	(690)
Total	1.22 GB/s	(2.3k)	1.37 GB/s	(1.3k)

<https://cilium.io>

From: <https://wiki.janforman.com/> - **wiki.janforman.com**

Permanent link: <https://wiki.janforman.com/microcloud>

Last update: **2024/11/25 20:44**

