

# Table of Contents

- Drop every second frame** ..... 1
- 7.1 channel sound to 5.1** ..... 1
- Encode VP9 maximum quality** ..... 1
- FFMPEG and NVENC** ..... 1
- Show codec parameters** ..... 1
- Quality based encoder NVENC (Ampere)** ..... 1
- Create GIF** ..... 2
- Defish** ..... 2
- 23fps to 60fps** ..... 3
- Rotate 90degree** ..... 3
- Create slideshow from pictures** ..... 3
- 2-pass x264** ..... 3
- Archiving in HEVC** ..... 4
- Rip to MP3** ..... 4
- Recode audio to AC3** ..... 4
- Convert HDR to SDR** ..... 4
- Encode HDR** ..... 4
- Patch some old videos** ..... 4
- Encode Dolby Pro Logic** ..... 4
- Extract core from TrueHD** ..... 5
- Double framerate by motion** ..... 5
- Export video for Premiere almost lossless** ..... 5
- Insert HDR10 Metadata** ..... 5
- Insert Stereo into 5.1 Layout** ..... 5
- Normalize audio** ..... 5
- Dynamic Normalization** ..... 5
- Save frames from video** ..... 5
- Encode pictures to video** ..... 6
- Decode pictures from video** ..... 6
- Encrypt** ..... 6
- Inverse Telecine** ..... 6
- Tune** ..... 6
- Transform HLG to HDR10** ..... 6
- Encode with HDR10 Metadata** ..... 6

## Drop every second frame

```
ffmpeg.exe -i input.mkv -sws_flags lanczos+full_chroma_inp -filter:v
select="mod(n-1\,2)",fps=29.97 -c:v h264_nvenc -preset:v p7 -rc 0 -rc:v constqp -init_qpI 20
-init_qpP 20 -init_qpB 23 -g 240 -b_ref_mode 2 -pix_fmt yuv420p -color_range tv -
color_primaries bt709 -color_trc bt709 -colorspace bt709 -c:a copy output.mkv
```

## 7.1 channel sound to 5.1

You must add for proper channel mapping

```
-ac 6
```

## Encode VP9 maximum quality

```
ffmpeg -i input.mkv -pix_fmt yuv420p10le -c:v libvpx-vp9 -pass 1 -speed 8 -quality good -
threads 16 -row-mt 1 -crf 25 -b:v 0 -g 240 -an -f webm nul
ffmpeg -i input.mkv -pix_fmt yuv420p10le -c:v libvpx-vp9 -pass 2 -deadline best -threads 16 -
row-mt 1 -crf 25 -b:v 0 -g 240 -codec:a libopus -ab 128k output.webm
```

## FFMPEG and NVENC

nVidia	-hwaccel cuvid -c:v h264_cuvid
Start from frame	-ss 5
HQ framerate 30fps	-r ntsc
Use photoshop levels	-vf curves=psfile=input.acv
Deblocking, Autolevels	,pp=ha/va/al
Convert colors	-vf colormatrix=bt709:bt601

## Show codec parameters

```
ffmpeg -h encoder=h264_omx
```

## Quality based encoder NVENC (Ampere)

[h264crf.bat](#)

```
ffmpeg -i "%~n1%~x1" -sws_flags lanczos+full_chroma_inp -filter:v
colorlevels=rimax=0.99:gimax=0.99:bimax=1.0,crop=iw:iw/2.666666,scale=-1:720 -c:v
h264_nvenc -preset:v p7 -rc 0 -rc:v constqp -init_qpI 20 -init_qpP 20 -init_qpB 23 -g
240 -coder 2 -b_ref_mode 2 -pix_fmt yuv420p -color_range tv -color_primaries bt709 -
color_trc bt709 -colorspace bt709 -af dynaudnorm=m=4 -c:a aac -b:a 160k
"nvenc__%~n1%~x1.mp4"
```

[h265crf.bat](#)

```
ffmpeg -i input.mp4 -c:v hevc_nvenc -preset:v p7 -profile:v main10 -rc:v constqp -rc-
```

```
lookahead 1 -spatial-aq 0 -temporal-aq 1 -weighted_pred 0 -init_qpI 20 -init_qpP 20 -
init_qpB 23 -b_ref_mode 2 -dpb_size 3 -multipass 0 -g 240 -bf 5 -pix_fmt p010le -
color_range tv -color_primaries bt709 -color_trc bt709 -colorspace bt709 -movflags
+faststart -codec:a copy output.mp4
```

### h265hdrcrif.bat

```
ffmpeg -i input.mkv -c:v hevc_nvenc -preset:v p7 -profile:v main10 -rc:v constqp -rc-
lookahead 1 -spatial-aq 0 -temporal-aq 1 -weighted_pred 0 -init_qpI 20 -init_qpP 20 -
init_qpB 23 -b_ref_mode 2 -dpb_size 3 -multipass 0 -g 240 -bf 5 -pix_fmt p010le -
codec:a copy -color_primaries bt2020 -colorspace bt2020nc -color_trc smpte2084 -bsf:v
hevc_metadata=transfer_characteristics=16:colour_primaries=9:video_full_range_flag=0:ma
trix_coefficients=9 output.mkv
```

## Create GIF

### creategif.bat

```
@set /p CLUT=How Many Colors (4..256):
@echo Number of colors: %CLUT%

@set /p BS=Bayer_Strength (0..5 lower is stronger):
@echo Bayer Strength: %BS%

@ffmpeg.exe -y -stats -hide_banner -i "%1" -an -sn -dn -sws_dither ed -filter_complex
"crop=1920:784:0:148,scale=640:-2:sws_flags=spline+accurate_rnd+full_chroma_int+full_ch
roma_inp:in_range='mpeg/tv':out_range='jpeg/full/pc',hqdn3d=5,smartblur=lr=1.75:ls=-0.5
0:lt=-5.5:cr=0.5:cs=1.0:ct=0.5,minterpolate=fps=25/2:mi_mode=mci:me_mode=bidir:me=epzs:
vsbmc=1,scale=320:-2:sws_flags=spline+accurate_rnd+full_chroma_int+full_chroma_inp,xbr=
2,scale=iw/2:-2:sws_flags=spline+accurate_rnd+full_chroma_int+full_chroma_inp,format=pi
x_fmts=rgb444le,split=2[vid][clut];[clut]palettegen=max_colors=%CLUT%:reserve_transpare
nt=0:stats_mode=diff[out2]" -map [vid] -c:v ffv1 "%~n1_ll.mkv" -map [out2]
"%~n1_CLUT%CLUT%_D.png"

@ffmpeg.exe -y -stats -hide_banner -i "%~n1_ll.mkv" -i "%~n1_CLUT%CLUT%_D.png" -lavfi
"paletteuse=dither=bayer:bayer_scale=%BS%" -loop 0 -vsync 0
"%~n1_CLUT%CLUT%_D_BS%BS%.gif"

@rem Optimizing GIF...
@gifsicle.exe -V -O3 "%~n1_CLUT%CLUT%_D_BS%BS%.gif" -o "%~n1_CLUT%CLUT%_D_BS%BS%_o.gif"
```

## Defish

```
ffmpeg -i "$1" \ -filter_complex 'extractplanes=y+u+v[y][u][v]; [u]
scale=w=3840:h=2160:flags=print_info+neighbor+bitexact [us]; [v]
scale=w=3840:h=2160:flags=print_info+neighbor+bitexact [vs];
[y][us][vs]mergeplanes=0x001020:yuv444p,format=pix_fmts=yuv444p10le,hqdn3d=3:3:5:5,frei0r=len
scorrection:0.5:0.5:0.16:0.6,scale=w=1920:h=1080:flags=print_info+bicubic+full_chroma_inp+ful
l_chroma_int' \ -sws_dither none \ -q 0 -quant_mat hq \ -c:v prores_ks \ -profile:v 4 \ -c:a
copy \ -c:s copy \ -c:d copy \ -map 0 \ "$2/$1"
```

## 23fps to 60fps

23,976 / 60 = 0.3996 (39.96%)

Speed up 239.76%

## Rotate 90degree

[rotate90.bat](#)

```
ffmpeg -i input.mp4 -c copy -metadata:s:v:0 rotate=90 output.mp4
```

Real rotate

```
-vf "transpose=2"
```

## Create slideshow from pictures

[slideshow.bat](#)

```
c:\programs\stream\ffmpeg -f concat -i list.txt -codec:v libx265 -b:v 1000k -x265-params "pass=1" -pix_fmt yuv420p10le -preset fast -filter:v "crop=in_w:in_h-480" -maxrate 20000k -sws_flags spline -s 3840x2160 -aspect 16:9 -f mp4 nul  
c:\programs\stream\ffmpeg -f concat -i list.txt -codec:v libx265 -b:v 1000k -x265-params "pass=2" -pix_fmt yuv420p10le -preset fast -filter:v "crop=in_w:in_h-480" -maxrate 20000k -sws_flags spline -s 3840x2160 -aspect 16:9 -f mp4 output.mp4
```

Transform bt601 to bt709

```
-vf "colormatrix=bt601:bt709"
```

[list.txt](#)

```
file '0.jpg'  
duration 10  
file '0_02.jpg'  
duration 10
```

## 2-pass x264

[x264hq.bat](#)

```
c:\programs\stream\ffmpeg -y -i input.mov -vf curves=psfile=input.acv -preset veryslow -pix_fmt yuvj420p -c:v libx264 -b:v 30000k -pass 1 -an -f mp4 nul  
c:\programs\stream\ffmpeg -i input.mov -vf curves=psfile=input.acv -preset veryslow -pix_fmt yuvj420p -c:v libx264 -b:v 30000k -pass 2 -c:a aac -b:a 320k output.mp4
```

## Archiving in HEVC

[x265archive.bat](#)

```
c:\programs\stream\ffmpeg -i "uhqresize.avs" -codec:v libx265 -crf 12 -preset slow -c:a libopus -b:a 320k output.mkv
```

## Rip to MP3

[ripmp3.bat](#)

```
c:\programs\stream\ffmpeg -i video.mp4 -b:a 192K -vn music.mp3
```

## Recode audio to AC3

[convertac3.bat](#)

```
ffmpeg -i FILE.mkv -map 0:v -map 0:a:0 -map 0:s -c copy -c:a ac3 -b:a 640k -cutoff 18000 FILE-AC3.mkv
```

## Convert HDR to SDR

```
ffmpeg.exe -i input.mkv -vf zscale=t=linear:npl=100,format=gbrpf32le, zscale=p=bt709,tonemap=tonemap=hable:desat=0,zscale=t=bt709:m=bt709:r=tv, format=yuv420p -c:v libx265 -crf 18 -preset slower output.mkv
```

## Encode HDR

```
ffmpeg -i source.webm -c:v libx265 -pix_fmt yuv420p10le -x265-params "level=5.2:colorprim=bt2020:colormatrix=bt2020nc:transfer=smppte2084" -crf 12 -preset medium -c:a copy output.mkv
```

## Patch some old videos

```
c:\programs\stream\ffmpeg -fflags +genpts -r 30 -i "input.mkv" -codec copy -bsf:v mpeg4_unpack_bframes output.mkv
```

## Encode Dolby Pro Logic

```
ffmpeg -i input.mp4 -c:v copy -c:a:0 aac -ac 2 -b:a 320k -af
```

```
"aresample=matrix_encoding=dplii" dolby-prologic.mp4
```

## Extract core from TrueHD

```
ffmpeg -i input.mkv -map 0:V:0 -map 0:a:0 -c:v copy -bsf:a truehd_core -c:a copy output.mkv
```

## Double framerate by motion

```
ffmpeg -i input.hevc -filter "minterpolate='mi_mode=mci:mc_mode=aobmc:vsbmc=1'" output.hevc
```

## Export video for Premiere almost lossless

```
c:\programs\stream\ffmpeg -i input.mp4 -c:v v210 -c:a copy output.avi
```

## Insert HDR10 Metadata

```
mkvmerge -o output.mkv --colour-matrix 0:9 --colour-range 0:1 --colour-transfer-characteristics 0:16 --colour-primaries 0:9 --max-content-light 0:1000 --max-frame-light 0:128 --max-luminance 0:1000 --min-luminance 0:0.005 --chromaticity-coordinates 0:0.68,0.32,0.265,0.690,0.15,0.06 --white-colour-coordinates 0:0.3127,0.3290 input.mkv
```

## Insert Stereo into 5.1 Layout

```
c:\programs\stream\ffmpeg -i input.mkv -filter_complex "[0:a]pan=5.1(side)|FL=FL|FR=FR|FC=FL+FR|LFE<FL+FR|SL=0.7*FL|SR=0.7*FR[a]" -map 0 -map -0:a -map "[a]" -c copy -c:a ac3 -b:a 640k output.mkv
```

## Normalize audio

```
ffmpeg -i video.mkv -af "volumedetect" -vn -sn -dn -f null /dev/null
```

```
ffmpeg -i input.mkv -af "volume=5dB" output.mkv
```

## Dynamic Normalization

```
ffmpeg -i input.mkv -af "dynaudnorm=m=3" output.mkv
```

## Save frames from video

```
c:\programs\stream\ffmpeg -i input.mp4 -vf fps=10/60 -qscale:v 2 image-%03d.jpg
```

## Encode pictures to video

```
ffmpeg -framerate 25 -i %%06d.png -pix_fmt yuv420p -vf
crop=3840:1998:0:161,curves=psfile=enc.acv,smartblur=lr=2.00:ls=-0.1:lt=-5.0:cr=2:cs=-0.1:ct=
-1.0 -codec:v libx265 -x265-params "crf=22:keyint=340:vbv-maxrate=60000:vbv-buFSIZE=65535" -
preset veryslow output.mkv
```

## Decode pictures from video

```
ffmpeg -i input.mkv -qscale:v 2 image-%%06d.jpg
```

## Encrypt

```
ffmpeg -i input.mp4 -vcodec copy -acodec copy -encryption_scheme cenc-aes-ctr -encryption_key
100b6c20940f779a4589152b57d2dacb -encryption_kid eb676abbc345e96bbcf616630f1a3da
encrypted.mp4
```

## Inverse Telecine

```
ffmpeg -i input.mpg -vf fieldmatch,yadif=deint=interlaced,decimate -pix_fmt yuv420p10le -
codec:v libx265 -x265-params "crf=20:keyint=340:vbv-maxrate=60000:vbv-buFSIZE=65535" -preset
superfast output.mkv
```

## Tune

You can optionally use `-tune` to change settings based upon the specifics of your input. Current tunings include:

film	use for high quality movie content; lowers deblocking
animation	good for cartoons; uses higher deblocking and more reference frames
grain	preserves the grain structure in old, grainy film material
stillimage	good for slideshow-like content

## Transform HLG to HDR10

```
-vf zscale=transfer=smpte2084
```

## Encode with HDR10 Metadata

Color Primaries: bt2020

Mastering Display: Display P3

Luminance: **min:0.001cm/m2 max: 1000cd/m2**

**1000 / 400 average**

```
x265-params "crf=21:keyint=340:vbv-maxrate=60000:vbv-
buFSIZE=65535:colorprim=bt2020:colormatrix=bt2020nc:transfer=smpte2084:hdr=1:info=1:repeat-
```

```
headers=1:max-cll=1000,400:max-fall=400:master-  
display=G(13250,34500)B(7500,3000)R(34000,16000)WP(15635,16450)L(10000000,1) "
```

bt2020

```
master-display=G(8500,39850)B(6550,2300)R(35400,14600)WP(15635,16450)L(10000000,1)
```

From:  
<https://wiki.janforman.com/> - **wiki.janforman.com**

Permanent link:  
<https://wiki.janforman.com/video:encoding>

Last update: **2024/05/03 10:32**

